


Adventure Trails

“ready-made for the trade”





Balance Walk
L 2400 W 125 H 433mm
FFH 433mm

Sloping Balance Walk
L 2400 W 125 H 434mm
FFH 434mm

Balance Beam
L 2400 W 200 H 435mm
FFH 435mm


Balance Junction
L 2400 W 2400 H 550mm
FFH 550mm

V Balance Beam
L 2002 W 2050 H 470mm
FFH 470mm

Balance Challenge
L 6900 W 1600 H 434mm
FFH 434mm

Three Bar Balance
L 5500 W 1115 H 511mm
FFH 511mm

Low Log Roll
L 3300 W 200 H 500mm
FFH 500mm



Balance Slalom
L 3250 W 1200 H 585mm
FFH 585mm

Sloping Balance Weave
L 2792 W 375 H 1800mm
FFH 555mm

Double Sloping Balance Weave
L 4589 W 1150 H 1800mm
FFH 570mm

Balance Weave
L 2800 W 375 H 1800mm
FFH 450mm

Walk and Stretch
L 2225 W 635 H 1000mm
FFH 300mm

Log Snake Weaver
L 1790 W 661 H 1500mm
FFH 300mm

Log Snake
L 1565 W 410 H 500mm
FFH 500mm

Log Stack
L 1250 W 1800 H 560mm
FFH 560mm

150mm Stepping Logs (set of 4)
L 400 W 150 H 400mm
FFH 400mm


200mm Stepping Logs (set of 4)
L 400 W 200 H 400mm
FFH 400mm

Steel feet
Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.


600mm Wobble Board
L 600 W 195 H 380mm
FFH 600mm ▶




1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 600mm ▼



Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm ▼




Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm ◀



Leap Frog ▶
L 9125 W 125 H 600mm
FFH 600mm




Log Hurdles ▲
L 8125 W 2400 H 903mm
FFH 903mm




1.2m Tunnel ▲
L 1338 W 850 H 965mm
FFH 135mm




Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm ▼




1.5m Chin Ups ▲
L 3200 W 125 H 1500mm
FFH 1500mm




Crawl Net
L 2107 W 1179 H 599mm
FFH 599mm ▼




Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm ▼



Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm ▼




Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm ◀




Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm ◀




Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm ◀



Burma Bridge ▲
L 3000 W 1125 H 1450mm
FFH 523mm



Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm ▲




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Rope Bridge
L 2650 W 1125 H 1400mm
FFH 1400mm



Rope Tunnel
L 2700 W 1000 H 1425mm
FFH 1425mm



Slalom Rope Walk
L 4322 W 695 H 1800mm
FFH 458mm



Cross Rope
L 3350 W 250 H 2700mm
FFH 1000mm




Underground Tunnel
L 1909 W 1450 H 1200mm
FFH Dependant on mound
Mound not included.



Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm
FFH 859mm



Rope Walk
L 3350 W 250 H 2700mm
FFH 460mm



Drop Rope Traverse
L 3350 W 300 H 2500mm
FFH 521mm




Tarzan Traverse
L 3350 W 300 H 2700mm
FFH 520mm




Log Roll with Drop Ropes
L 3350 W 225 H 2500mm
FFH 462mm




Monkey Bars
L 2862 W 1110 H 1850mm
FFH 1850mm




Log Roll
L 3350 W 250 H 2700mm
FFH 462mm




Rope Weave
L 3350 W 300 H 2700mm
FFH 520mm



Log Rope
L 3000 W 450 H 2575mm
FFH 436mm



Vertical Spider Net
L 3000 W 300 H 2550mm
FFH 2550mm



Monkey Bar Log
L 3450 W 720 H 2085mm
FFH 1975mm




Tarzan Ring Beam
L 3162 W 1110 H 2050mm
FFH 1750mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



A-Frame High
L 2093 W 1974 H 2000mm
FFH 2000mm ▶

A-Frame Low
L 1600 W 1974 H 1500mm
FFH 1500mm


A Frame Mini ▲
L 1465 W 1800 H 1000mm
FFH 1000mm

A-Frame Low with Nets ▼
L 1685 W 2110 H 1449mm
FFH 1449mm

A-Frame High with Nets ▲
L 2322 W 2110 H 1930mm
FFH 1930mm

Log Climber High ▲
L 2093 W 1849 H 2000mm
FFH 2000mm

Log Climber Low ▲
L 1692 W 1849 H 1500mm
FFH 1500mm



Low Boulder Climber ▼
L 1525 W 1595 H 1500mm
FFH 1500mm

High Boulder Climber ▼
L 2801 W 1974 H 2000mm
FFH 2000mm

Climb Net ▼
L 150 W 2060 H 1500mm
FFH 1500mm

Mini Twist Net ▼
L 2632 W 1100 H 1500mm
FFH 1500mm

Climb Ladder ▼
L 150 W 1350 H 1730mm
FFH 1730mm

Twist Net ▼
L 3200 W 2295 H 1900mm
FFH 1900mm

Timber Gate Climber ▼
L 1900 W 312 H 1900mm
FFH 1900mm




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.


Zig Zag Traverse Wall
L 3922 W 840 H 1800mm
FFH 599mm




Traverse Wall
L 2850 W 150 H 1800mm
FFH 500mm (Double Sided)



Wall Net Combo
L 6770 W 150 H 2380mm
FFH 1139mm (Double Sided)



6m Sleeper Traverse Wall
L 6000 W 190 H 1755mm
FFH 590mm



Zig-Zag Sleeper Traverse Wall
L 2720 W 775 H 1755mm
FFH 590mm




Sleeper Climb Wall
L 4000 W 385 H 2340mm
FFH 2340mm (Double Sided)




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.


Regular Embankment Net
L 3640 W 2235 H 599mm
FFH 599mm



Medium Embankment Net
L 4305 W 2475 H 599mm
FFH 599mm




Large Embankment Net
L 5050 W 2800 H 825mm
FFH 825mm




Embankment Ramp
L 2196 W 1350 H 1300mm
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.

Recommended angle for embankment is 30 degrees.



Traverse Weave Combo
L 2764 W 802 H 2100mm
FFH 599mm (Double Sided)



Jigsaw Traverse Wall
L 2670 W 825 H 1850mm
FFH 599mm



Scrambling Post
Naturally Shaped Peeled Scrambling Post.
Average Diameter: 175mm
Height: 2000mm



Climbing Post
Naturally Shaped Peeled Climbing Post.
Average Diameter: 175mm
Height: 1800mm




Peeled Stilts
Naturally Shaped Peeled Stilts.
Average Tall Post Diameter: 140mm
Average Stepping Post Diameter: 175mm
Height: 1800mm

Trail 1

L=21m W=1.6m Not including Safety Surface


Consists of: *Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.*



Trail 2

L=21m W=0.64m Not including Safety Surface


Consists of: *Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch, Sloping Balance Walk.*



Trail 3

L=20m W=1.3m Not including Safety Surface

Consists of: *Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.*




All trails can be arranged differently to suit your needs!

Trail 4

L=25.5m W=1.1m Not including Safety Surface

Consists of: *Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.*



Trail 5

L=17.5m W=1.2m Not including Safety Surface

Consists of: *200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.*



Trail 6

L=24m W=1.6m Not including Safety Surface

Consists of: *Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.*



All trails can be arranged differently to suit your needs!



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Trail 7

L=22.9m W=1.2m Not including Safety Surface


Consists of: *Tightrope Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.*



Trail 8

L=13.75m W=0.6m Not including Safety Surface

Consists of: *Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.*



Trail 9

L=9m W=0.8m Not including Safety Surface

Consists of: *Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.*



Trail 10

L=10.5m W=1.2m Not including Safety Surface

Consists of: *Sloping Balance Weave, Log Snake Weaver, Balance Slalom, 1.2m Tunnel.*




Linked Trail 1

L=9.56m W=0.58m H=2.5m

FFH= <600mm (Not including Safety Surface)

Consists of: *Sloping Balance Beam (x2), Drop Rope Traverse, Stepping Posts (x2), Rope Weaver Net, Log Rope.*



Linked Trail 2

L=15.8m W=0.58m H=2.5m

FFH= <600mm (Not including Safety Surface)

Consists of: *Balance Beam with Rope (x2), Tarzan Traverse, Rope Weaver Net, Log Roll, Stepping Posts (x2), Rope Walk, Rope Weave.*



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Linked Trail 3

L= 14.4m W=0.8m H=2.5m

FFH= <600mm (Not including Safety Surface)

Consists of: Sloping Balance Weave, Rope Weave, Walk and Stretch Posts, Log Rope, Jigsaw Traverse Wall, Balance Beam, Stepping Posts (x2).



Linked Trail 4

L= 14.3m W= 1.32m H=2.5m

FFH= <600mm (Not including Safety Surface)

Consists of: Rope Crossing, Balance Beam, Log Roll, Rope Weaver Net, Drop Rope Traverse, Balance Beam, Wobble Bridge.



Linked Trail 5

L= 17m W= 1.2m H=2.5m

FFH= 1450mm (Not including Safety Surface)

Consists of: Balance Beam (x2), Drop Rope Traverse, Mini Twist Net, Wobble Bridge, Tightrape Crossing, Rope Weave, Stepping Posts (x1).



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Linked Trail 6

L= 14m W=4.2m H=2.5m

FFH= 950mm (Not including Safety Surface)

Consists of: Double Balance Beam, Rope Crossing, Balance Beam, Log Rope, Rope Weaver Net, Log Roll, Jigsaw Traverse Wall, Tarzan Traverse, Cross Rope, Traverse Net, Balance Slalom, Stepping Posts (x4).




Linked Trail 7

L= 17.2m W=6.35m H=2.5m

FFH= 1460mm (Not including Safety Surface)

Consists of: Sloping Balance Weave, Slalom Rope Walk, Log Rope, Mini Twist Net, Rope Crossing, 3 Bar Balance, Wobble Bridge, Balance Beam, Log Roll, Rope Weaver Net, Tarzan Traverse, Tightrape Crossing, Stepping Posts (x4).



Linked Trail 8


L= 15.5m W=4.94m H=2.5m

FFH= 970mm (Not including Safety Surface)

Consists of: 3 Bar Balance, Rope Weave, Balance Beam, Log Rope, Rope Walk, Log Roll, Double Sloping Balance Weave, Drop Rope Traverse, Cross Rope, Traverse Net, Stepping Posts (x7), Jigsaw Traverse Wall, Tarzan Traverse.

Bespoke Linked Trails can be designed on request.

Mini Trails




Mini Timber Trail 1

L=5.7m W=0.375m H= 1.8m
FFH=405mm (Not including Safety Surface)
Consists of: 2 Mini Balance Beams, Mini Rope Weave, Mini Balance Weaver.

Mini Timber Trail 2

L=4.9m W=0.6m H= 1.8m
FFH=408mm (Not including Safety Surface)
Consists of: Mini Drop Rope Traverse, Mini Uneven Bridge, Mini Balance Weaver.



Mini Timber Trail 3

L=7.1m W=0.6m H= 1.8m
FFH=400mm (Not including Safety Surface)
Consists of: Mini Balance Beam, Mini Drop Rope Traverse, Mini Stepping Posts, Mini Rope Walk, Mini Balance Weaver.




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Mini Trails


Mini Timber Trail 4

L=10m W=1m H= 1.8m
FFH=398mm (Not including Safety Surface)
Consists of: 2 Mini Balance Beams with Ropes, Mini Drop Rope Traverse, 2 Triangular Mini Decks, Mini Wobble Bridge, Mini Rope Walk, Mini Stepping Logs.



Mini Timber Trail 5

L=7m W=6m H= 1.8m
FFH=415mm (Not including Safety Surface)
Consists of: 3 Mini Balance Beams, Mini Balance Weave, 3 Mini Triangular Rope Walks, Triangular Mini Deck, Mini Drop Rope Traverse, Mini Rope Weave.



Mini Timber Trail 6

L=14.3m W=0.4m H= 1.8m
FFH=495mm (Not including Safety Surface)
Consists of: Mini Balance Beam, Mini Traverse Wall, Mini Stepping Logs, Mini Drop Rope Traverse, Mini Crossover Balance Beams, Mini Rope Walk, Mini Uneven Bridge, Mini Rope Weave, Mini Balance Weave.



Bespoke Mini Trails can be designed on request.

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Sloping Balance Beam
L 2400 W 100 H 410mm
FFH 410mm



Steel Balance Beam
L 2400 W 100 H 410mm
FFH 410mm



Steel 3 Bar Balance Beam
L 7200 W 100 H 415mm
FFH 415mm




Steel Sloping Balance Weave
L 2800 W 300 H 1800mm
FFH 475mm



Steel Zig Zag Balance Beam
L 2000 W 605 H 420mm
FFH 420mm




Steel Stilts
L 3600 W 540 H 1800mm
FFH 590mm



Steel 1.2m Tunnel
L 1300 W 760 H 975mm
FFH 140mm


Steel Leap Frog
L 8484 W 100 H 1000mm
FFH 1000mm



Steel Slalom Rope Walk
L 3066 W 1587 H 1800mm
FFH 480mm



Steel Spider Web Net
L 2285 W 2285 H 1500mm
FFH 580mm




Different paint options available upon request


Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Mini Twist Net
L 2550 W 1100 H 1500mm
FFH 1500mm




Steel Rope Bridge
L 2600 W 1100 H 1410mm
FFH 1410mm



Steel Burma Bridge
L 2900 W 850 H 1460mm
FFH 520mm





Steel Crawl Net Bridge
L 2056 W 1100 H 1410mm
FFH 510mm



Steel Suspension Bridge
L 2150 W 1100 H 1400mm
FFH 510mm



Steel Wobble Bridge
L 2650 W 1100 H 1410mm
FFH 510mm



Steel Jigsaw Traverse Wall
L 2704 W 100 H 1925mm
FFH 599mm





Steel Traverse Weave Combo
L 2429 W 980 H 2100mm
FFH 575mm

Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height


Steel Roll Over Bars
L 2100 W 100 H 1150mm
FFH 1107mm



Steel 1.5m Steel Chin Ups
L 3100 W 100 H 1500mm
FFH 1457mm



Steel Rope Walk
L 3200 W 300 H 1800mm
FFH 485mm



Steel Cross Rope
L 3200 W 300 H 1800mm
FFH 1000mm



Steel Gate Climber
L 1337 W 100 H 1500mm
FFH 1500mm



Steel Drop Rope Traverse
L 2850 W 300 H 2500mm
FFH 425mm



Steel Rope Weave
L 3200 W 300 H 2500mm
FFH 410mm



Steel Log Rope
L 2850 W 450 H 2500mm
FFH 461mm



Steel Tarzan Traverse
L 2850 W 300 H 2500mm
FFH 425mm

Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Tarzan Ring Beam
L 2540 W 1065 H 2143mm
FFH 1750mm



Steel Monkey bars
L 2550 W 1060 H 2000mm
FFH 1886mm

Steel Trail 1

L=12.1m W=1.6m Not including Safety Surface
Consists of: *Sloped Balance Beam, Drop Rope Traverse, Slalom Rope Walk, Sloping Balance Weave.*



Steel Trail 2

L=14.2m W=0.45m Not including Safety Surface
Consists of: *Sloped Balance Beam, Rope Walk, Log Rope, Cross Rope, Sloped Balance Beam.*



Different paint options available upon request



Established for over 50 years, A E Evans are the UK's market leader in the design and manufacture of timber based play equipment for supply directly to the trade. All products are designed and produced in the UK from sustainably sourced timber and EvaRound timbers can be FSC® certified (FSC® C102594) on request.

The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key to A E Evans. The Adventure Trails range accommodates all ages, budgets and play

scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind all products are designed to meet BSEN 1176 and individual Timber Trail items have been independently certified.

In order to ensure the highest level of accuracy, all units are produced on our custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.



Tel: 01978 710445

Email: sales@aeevans.co.uk

www.aeevans.co.uk

A E Evans Ltd, Lightwood Green, Overton-on-Dee, Wrexham, LL13 0HU